wherein:

## IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A process for preparing a catalyst structure, comprising:

forming a <u>continuous</u> layer of a catalytic material on a surface of a substrate; and forming the catalyst structure by separating the <u>continuous</u> layer of the catalytic material into droplet-shaped bodies of the catalytic material adhered to the substrate;

the continuous layer of the catalytic material is in the form of a film;

the surface of the substrate has a surface tension lower than a surface tension of the continuous layer of the catalytic material when the continuous layer of the catalytic material is formed on the surface of the substrate;

the catalytic material is a material suitable for catalyzing formation of carbon nanotubes or carbon nanofibers;

the <u>continuous</u> layer of the catalytic material is formed by making a sequence of deposits of the catalytic material on to the surface of the substrate <u>to form continuous</u> <u>sublayers of the catalytic material</u> separated by waiting phases under a vacuum or in a controlled atmosphere; and

deposits of the catalytic material are made by exposing the substrate to a source of evaporated catalytic material and waiting phases are carried out by shielding the substrate from the source of evaporated catalytic material the layer of the catalytic material is in the form of a film.

Claim 2 (Currently Amended): The process according to claim 1, wherein the continuous layer of the catalytic material is separated into droplet-shaped bodies by applying a heat treatment.

Claim 3 (Withdrawn – Currently Amended): The process according to claim 1, wherein the <u>continuous</u> layer of the catalytic material is separated into droplet-shaped bodies by applying a hydrogen plasma treatment at low temperature.

Claims 4-5 (Cancelled).

Claim 6 (Previously Presented): The process according to claim 1, wherein the catalytic material is nickel, iron or cobalt.

Claim 7 (Previously Presented): The process according to claim 1, wherein the layer of the catalytic material is formed under partial pressure of oxygen.

Claim 8 (Previously Presented): A process for growing carbon nanotubes or carbon nanofibers, comprising:

preparing a catalyst structure by the method according to claim 1; and growing carbon nanotubes or carbon nanofibers on the catalyst structure.

Claim 9 (Previously Presented): The process according to claim 8, wherein the carbon nanotubes or carbon nanofibers are grown by chemical vapor phase deposition.

Claim 10 (Withdrawn): A process for producing substrate having a surface with controlled roughness, comprising:

preparing a catalyst structure by the method according to claim 1; forming an oxide layer on the catalyst structure; and polishing the resulting structure.

Claim 11 (Cancelled).

Claim 12 (Withdrawn): A process for producing a substrate including a surface with a metal/oxide mix, comprising:

preparing a catalyst structure by the method according to claim 1; forming an oxide layer on the catalyst structure; and polishing step the resulting structure; wherein the catalytic material is a metal.

Claim 13 (Currently Amended): A process for preparing a catalyst structure, comprising:

forming a thermal or diffusion barrier layer on a substrate;

forming a <u>continuous</u> layer of a catalytic material on a surface of the barrier layer; and forming the catalyst structure by separating the <u>continuous</u> layer of the catalytic material into droplet-shaped bodies of the catalytic material adhered to the barrier layer; wherein:

the continuous layer of the catalytic material is in the form of a film;

the surface of the barrier layer has a surface tension lower than a surface tension of the <u>continuous</u> layer of the catalytic material when the <u>continuous</u> layer of the catalytic material is formed on the surface of the barrier layer;

the catalytic material is a material suitable for catalyzing formation of carbon nanotubes or carbon nanofibers;

the <u>continuous</u> layer of the catalytic material is formed by making a sequence of deposits of the catalytic material on to the surface of the barrier layer <u>to form continuous</u> <u>sublayers of the catalytic material</u> separated by waiting phases under a vacuum or in a controlled atmosphere; and

deposits of the catalytic material are made by exposing the substrate to a source of evaporated catalytic material and waiting phases are carried out by shielding the substrate from the source of evaporated catalytic material the layer of the catalytic material is in the form of a film.

Claim 14 (Currently Amended): The process according to claim 13, wherein the continuous layer of the catalytic material is formed by applying a heat treatment or applying a hydrogen plasma treatment at low temperature.

Claim 15 (Currently Amended): The process according to claim 13, wherein the continuous layer of the catalytic material is formed under partial pressure of oxygen.

Claim 16 (Previously Presented): A process for growing carbon nanotubes or carbon nanofibers, comprising:

preparing a catalyst structure by the method according to claim 13; and growing carbon nanotubes or carbon nanofibers on the catalyst structure.

Claim 17 (Previously Presented): The process according to claim 16, wherein the carbon nanotubes or carbon nanofibers are grown by chemical vapor phase deposition.

Claim 18 (Withdrawn): A process for producing a substrate having a surface with a controlled roughness, comprising preparing a catalyst structure by the method according to claim 13;

forming an oxide layer on the catalyst structure; and polishing the resulting structure.

Claim 19 (Cancelled).

Claim 20 (Withdrawn): A process for producing a substrate having a surface including a metal/oxide mix, comprising:

preparing a catalyst structure by the method according to claim 13;

forming an oxide layer on the catalyst structure; and

polishing the resulting structure;

wherein the catalytic material comprises a metal.

Claims 21-24 (Cancelled).

Claim 25 (Previously Presented): The process according to claim 13, wherein the barrier layer is a TiN layer or an oxide layer.